




NUEVO
CATALOGO 2025

Onka

BORNERA para RIEL DIN


CONEXIÓN TORNILLO

MRK 2.5 mm²




CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
14	40	40	34.5	36.5	5.9

MRK 4 mm²




CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
12	40	40	34.5	36.5	6.7

MRK 6 mm²



CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
10	40	40	34.5	36.5	8.2

MRK 6 mm²



CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
10	40	40	34.5	36.5	8.2

CERTIFICADO por:




www.cavperu.com

BORNERA para RIEL DIN


CONEXIÓN TORNILLO

MRK 10 mm²




CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
8	40	40	34.5	36.5	9.5

MRK 16 mm²




CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
6	51	54	34.5	51	12

MRK 35 mm²



CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
2	50.7	54	34.5	51	15

MRK 50 mm²



CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
1	64	78	34.5	74	18

CERTIFICADO por:



www.cavperu.com



BORNERA para

RIEL DIN

CONEXIÓN TORNILLO

MRK 70 mm²


MRK 95 mm²



CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
2/0	64	78	34.5	74	21

CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
3/0	75	88	34.5	83	23.8

MRK 120 mm²



CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
4/0	75	88	34.5	83	26

CERTIFICADO por:



www.cavperu.com

BORNERA para TIERRA

RIEL DIN

MRK 10 mm²

MRK 16 mm²

CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
8	40	40	34.5	36.5	9.5

CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
6	51	54	34.5	51	12

MRK 35 mm²

MRK 50 mm²

CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
2	50.7	54	34.5	51	15

CALI BRE AWG	DIMENSIONES MM				
	A	B	C	D	E
1	64	78	34.5	74	18

CERTIFICADO por:



www.cavperu.com